INSECTICIDE FOR PROFESSIONAL USE AGAINST FLYING AND CRAWLING INSECTS including ants, cockroaches. fleas, flies (stable flies, house flies, little houseflies), wasps. hornets, mosquitoes, stored product moths, mites and red mites, fruit flies and bedbugs by application to surfaces, hard and soft furnishings, cracks and crevices, around the base of machinery/equipment or directly at insects in domestic, commercial and industrial premises (including kitchens), hospitals(excluding occupied wards), military establishments, food handling /processing / storage / preparation areas, in and around farm buildings, dairies. milking parlours, animal rearing facilities, animal housing including poultry houses (surface spray only), ant/hornet/ wasp nests plus amenity areas, sewage works (excluding filter beds), refuse disposal and waste storage areas (including refuse tips and landfill sites).

ACTIVE INGREDIENTS: Permethrin 0.64% w/w Tetramethrin 0.63% w/w Piperonyl butoxide 5.13% w/w (Ireland only).

STATUTORY CONDITIONS OF APPROVAL RELATING TO USE. FOR USE ONLY AS AN INSECTICIDE. FOR USE ONLY BY PROFESSIONAL OPERATORS. SURFACE SPRAY: APPLY 50 ML OF PRODUCT PER 6.25 SQUARE METRES OF SURFACE OR SPRAY SHORT BURSTS DIRECTLY AT INSECTS. Residue rate for both Permethrin and Tetramethrin is 43.2 mp per square metre (m²). SPACE TREATMENT (FOG / ULV): APPLY 0.4ML OF PRODUCT PER CUBIC METRE OF TREATABLE VOLUME. Residue rate for both Permethrin and Tetramethrin is 2 mp per cubic metre (m²). Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), and the Control of Pesticides Regulations (Northern Ireland) 1987 including complying with all Conditions of Approval. Read all precautions before use.

The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.

Avoid excessive contamination of coveralls, DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. This material and its container must be disposed of in a safe way. Wash hands and exposed skin before meals and after use. Keep in a safe place. Do not touch treated surfaces until dry. Do not apply directly to livestock and poultry. Exclude all persons and animals during treatment. Cover all water storage tanks before application. All bats are protected under the Wildlife and Countryside Act 1981. Before treating any structure used by bats, consult Natural England, NatureScot, Natural Resources Wales or the Northern Ireland Environment Agency. HAZARDOUS TO BEES. Action should be taken to prevent foraging bees gaining access to treated nests, preferably by removing the combs or blocking the nest entrance. Do not apply directly to animals. Do not apply to clothing and bedding. *Not to be used on pet bedding, pet sleeping quarters or where pets frequently lie. Protect milk machinery and milk containers from contamination. Collect eggs and remove feed, exposed water, and milk before application. Do not use on filter beds at sewage treatment works. This biocidal product contains Permethrin, which can cause severe adverse reactions in cats. Do not use on cats, or items intended to be used by cats. Keep cats away during treatment and drying time.

To avoid risks to human or animal health, or the environment, comply with the instructions for use.



DIGRAIN

PERBIO CHOC RTU

RTU INSECTICIDE



PERBIO CHOC RTU
Permethrin (CAS: 52645-53-1) 0.64 %w/w;
Tetramethrin (CAS: 7696-12-0) 0.63% w/w,
Piperonyl butoxide (CAS 51-03-6) 5.13%
w/w (Ireland only).
Danger: May be fatal if swallowed and
enters ainways. Very toxic to aquatic life with

Danger: May De tratal if sWallowed and enters airways. Very toxic to aquatic life with long lasting effects. Repeated exposure may cause skin dryness or cracking. Avoid release to the environment. IF SWALLOWED: Immediately call a POISON CENTER/doctor/... Do NOT induce vomiting. Dispose of contents/container in accordance with applicable regulations. Contains Hydrocrabures, C11-C14, n-alcanes, isoalcanes, cycliques, <2% aromatiques; Contains: Permethrin: May providue an allerior; reaction.

Lodi UK Unit 104, Potter Space, 7 Kidderminster Road, Cutnall Green, Droitwich WR9 ONS. UNITED KINGDOM.

LIFI : K7S1-G21N-000X-7S0N

DIRECTIONS FOR USE

FOR USE ONLY AS AN INSECTICIDE. USE ONLY AS DESCRIBED ON LABEL. SPACE TREATMENT AND SURFACE SPRAY. Type of formulation - AL - other liquids to be applied undiluted.

APPLICATION RATE

Use biocides safely and sustainably. This product should be used in accordance with the product label. Dispose of contents/ container in accordance with local regulations. Poisons information: For information or to report a poisoning incident contact The National Poisons Information centre (01 8092166). Important: Space spray containing pyrethrins or pyrethroids must not be used more than once a week against houseflies in intensive or controlled environment animal houses as they could cause control failure due to resistance. IF MORE FREQUENT TREATMENTS ARE REQUIRED, use a product with a different active ingredient and, if necessary, a different control method (such as bait).

Safety Data Sheet available on request

Your commercial contact: LODI UK. Unit 104, Potter Space, 7 Kidderminster Road, Cutnall Green, Droitwich WR9 ONS. UNITED KINGDOM.

Tel: 01384 404242 Email: sales@lodi-uk.com

Notification holder/Manufactured by: **LODI S.A.** P.A. des Quatre Routes 35390 Grand Fougeray FRANCE



Batch and exp.date: see on the packaging.

HOW TO USE THIS PRODUCT:

SCAN THIS CODE ON YOUR PHONE CAMERA OR VISIT

WWW.LODI-UK.COM/GUIDES

