

DIGRAIN ULTRA DAIRY FLY SPRAY



SAFETY DATA SHEET
(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : DIGRAIN ULTRA DAIRY FLY SPRAY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use(s): Insecticide - biocidal use
Use(s) advised against: Do not use for purposes other than those stated in "Recommended use(s)"

Use descriptor system (REACH) :

Not available.

1.3. Details of the supplier of the safety data sheet

Registered company name : (GB) LODI UK .
Address : Unit 104, Potter Space, 7 Kidderminster Road, Cutnall Green, Droitwich.WR9 0NS.Droitwich.UNITED KINGDOM.
Telephone : 01 384 40 42 42. Fax : .
fds@lodi.fr

1.4. Emergency telephone number :

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24- hour service)
General public:
England - Dial 111 to reach NHS 111 (24- hour service)
Scotland - Dial 112 to reach NHS 24 (24- hour service)
Wales - Dial 111 or 0845 4647 to reach NHS Direct (24- hour service).

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).
Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).
Hazardous to the aquatic environment - Chronic hazard, Category 1 (Aquatic Chronic 1, H410).

2.2. Label elements

Biocidal mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS09

Signal Word :

WARNING

Additional labeling :

EUH208 Contains BENZYL ALCOHOL. May produce an allergic reaction.
EUH208 Contains 2-METHYLISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

Hazard statements :

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements - Prevention :

P273 Avoid release to the environment.

Precautionary statements - Response :

P391 Collect spillage.

Precautionary statements - Disposal :

P501 Dispose of contents/container according to the regulation.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) \geq 0.1% published by the European Chemicals Agency (ECHA) under article 59 of REACH: <http://echa.europa.eu/fr/candidate-list-table>
The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.
The mixture does not contain substances \geq 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

DIGRAIN ULTRA DAIRY FLY SPRAY

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	Classification (EC) 1272/2008	Note	%
INDEX: 101_51_6A CAS: 100-51-6 EC: 202-859-9 BENZYL ALCOHOL	GHS07 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317 Eye Irrit. 2, H319		0 <= x % < 2.5
INDEX: 607_727_008B CAS: 7696-12-0 EC: 231-711-6 TETRAMETHRIN (ISO)	GHS07, GHS09, GHS08 Wng Acute Tox. 4, H302 Carc. 2, H351 STOT SE 2, H371 Aquatic Acute 1, H400 M Acute = 100 Aquatic Chronic 1, H410 M Chronic = 100	[ii]	0 <= x % < 2.5
INDEX: 607_421_004A CAS: 52315-07-8 EC: 257-842-9 CYPERMETHRIN (ISO)	GHS07, GHS09, GHS08 Wng Acute Tox. 4, H302 Acute Tox. 4, H332 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 1, H400 M Acute = 100000 Aquatic Chronic 1, H410 M Chronic = 100000		0 <= x % < 2.5
INDEX: 613-326-00-9 CAS: 2682-20-4 EC: 220-239-6 2-METHYLISOTHIAZOL-3(2H)-ONE	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 M Acute = 10 Aquatic Chronic 1, H410 M Chronic = 1 EUH071		0 <= x % < 2.5
INDEX: 102_71_6 CAS: 102-71-6 EC: 203-049-8 TRIETHANOLAMINE	GHS07 Wng Eye Irrit. 2, H319	[i]	0 <= x % < 2.5

Specific concentration limits:

Identification	Specific concentration limits	ATE
INDEX: 101_51_6A CAS: 100-51-6 EC: 202-859-9 BENZYL ALCOHOL		dermal: ATE = 2500 mg/kg BW oral: ATE = 1200 mg/kg BW
INDEX: 607_421_004A CAS: 52315-07-8 EC: 257-842-9 CYPERMETHRIN (ISO)		inhalation: ATE = 3.3 mg/l 4h (dust/mist) oral: ATE = 500 mg/kg BW
INDEX: 613-326-00-9 CAS: 2682-20-4 EC: 220-239-6 2-METHYLISOTHIAZOL-3(2H)-ONE	Skin Sens. 1A: H317 C>= 0.0015%	

Information on ingredients :

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

[ii] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

DIGRAIN ULTRA DAIRY FLY SPRAY

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation :

Remove casualty to fresh air and keep warm and at rest. Seek medical attention if difficulties appear and persist.

In the event of splashes or contact with eyes :

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately

In the event of splashes or contact with skin :

In case of skin exposure, clean skin with water then with soap. Seek medical attention if irritation or discomfort develops

In the event of swallowing :

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Specific and immediate treatment :

Treat symptomatically.

Information for the doctor :

Treat symptomatically.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Warn and evacuate unnecessary and unprotected personnel away.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

DIGRAIN ULTRA DAIRY FLY SPRAY

Fire prevention :

Handle in well-ventilated areas.
Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.
Observe precautions stated on label and also industrial safety regulations.
Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.
Keep the container tightly closed in a dry, well-ventilated place.
The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.
Recommended types of packaging :
Original packaging.
Suitable packaging materials :
Original packaging.
Unsuitable packaging materials :
Different than the original packaging.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

No data available.

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

BENZYL ALCOHOL (CAS: 100-51-6)

Final use:

Exposure method:
Potential health effects:
DNEL :

Exposure method:
Potential health effects:
DNEL :

Exposure method:
Potential health effects:
DNEL :

Exposure method:
Potential health effects:
DNEL :

Final use:

Exposure method:
Potential health effects:
DNEL :

Exposure method:
Potential health effects:
DNEL :

Exposure method:
Potential health effects:
DNEL :

Exposure method:
Potential health effects:
DNEL :

Exposure method:
Potential health effects:
DNEL :

Workers.

Dermal contact.
Short term systemic effects.
40 mg/kg body weight/day

Dermal contact.
Long term systemic effects.
8 mg/kg body weight/day

Inhalation.
Short term systemic effects.
110 mg of substance/m3

Inhalation.
Long term systemic effects.
22 mg of substance/m3

Consumers.

Ingestion.
Long term systemic effects.
4 mg/kg body weight/day

Ingestion.
Short term systemic effects.
20 mg/kg body weight/day

Dermal contact.
Long term systemic effects.
4 mg/kg body weight/day

Dermal contact.
Short term systemic effects.
20 mg/kg body weight/day

Inhalation.
Long term systemic effects.
5.4 mg of substance/m3

DIGRAIN ULTRA DAIRY FLY SPRAY

Exposure method: Inhalation.
Potential health effects: Short term systemic effects.
DNEL : 27 mg of substance/m3

Predicted no effect concentration (PNEC):

BENZYL ALCOHOL (CAS: 100-51-6)

Environmental compartment:	Soil.
PNEC :	0.456 mg/kg
Environmental compartment:	Fresh water.
PNEC :	1 mg/l
Environmental compartment:	Sea water.
PNEC :	0.1 mg/l
Environmental compartment:	Intermittent waste water.
PNEC :	2.3 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	5.27 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	0.527 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	39 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard ISO 16321.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- PVA (Polyvinyl alcohol)
- Butyl Rubber (Isobutylene-isoprene copolymer)

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

No respiratory protective equipment is required under normal conditions of intended use with adequate ventilation.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state : Fluid liquid.
Aspect: Clear.

Colour

Colour: White opalescent.

Odour

Odour threshold : Not stated.

Melting point

Melting point/melting range : Not relevant.

Freezing point

Freezing point / Freezing range : Not stated.

DIGRAIN ULTRA DAIRY FLY SPRAY

Boiling point or initial boiling point and boiling range

Boiling point/boiling range : Not relevant.

Flammability

Flammability (solid, gas) : Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) : Not stated.

Explosive properties, upper explosivity limit (%) : Not stated.

Flash point

Flash point interval : Not relevant.

Auto-ignition temperature

Self-ignition temperature : Not relevant.

Decomposition temperature

Decomposition point/decomposition range : Not relevant.

pH

pH (aqueous solution) : Not stated.

pH : Not stated.

Neutral.

Kinematic viscosity

Viscosity : Not stated.

Solubility

Water solubility : Dilutable.

Fat solubility : Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water : Not stated.

Vapour pressure

Vapour pressure (50°C) : Not relevant.

Density and/or relative density

Density : Not stated.

Relative vapour density

Vapour density : Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

None.

10.5. Incompatible materials

None.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO₂)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1. Substances

a) Acute toxicity :

CYPERMETHRIN (ISO) (CAS: 52315-07-8)

Oral route : LD50 = 500 mg/kg body weight
Species : Rat

Dermal route : LD50 > 2000 mg/kg body weight
Species : Rat

Inhalation route (Dusts/mist) : LC50 = 3.3 mg/l
Species : Rat
Duration of exposure : 4 h

DIGRAIN ULTRA DAIRY FLY SPRAY

TETRAMETHRIN (ISO) (CAS: 7696-12-0)

Oral route :	LD50 > 2000 mg/kg body weight Species : Rat OECD Guideline 423 (Acute Oral toxicity Acute Toxic Class Method)
Dermal route :	LD50 > 2000 mg/kg body weight Species : Rat OECD Guideline 402 (Acute Dermal Toxicity)
Inhalation route (Dusts/mist) :	LC50 > 5.63 mg/l Species : Rat OECD Guideline 403 (Acute Inhalation Toxicity)

BENZYL ALCOHOL (CAS: 100-51-6)

Oral route :	LD50 = 1200 mg/kg body weight Species : Rat
Dermal route :	LD50 = 2500 mg/kg body weight
Inhalation route (Vapours) :	LC50 > 5.4 mg/l Species : Rat

b) Skin corrosion/skin irritation :

No data available.

c) Serious damage to eyes/eye irritation :

No data available.

d) Respiratory or skin sensitisation :

No data available.

e) Germ cell mutagenicity :

BENZYL ALCOHOL (CAS: 100-51-6)

Mutagenesis (in vivo) :	Negative.
Mutagenesis (in vitro) :	Negative. Species : Bacteria OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Ames test (in vitro) :	Negative.

f) Carcinogenicity :

BENZYL ALCOHOL (CAS: 100-51-6)

Carcinogenicity Test :	Negative. No carcinogenic effect. Species : Rat OECD Guideline 451 (Carcinogenicity Studies)
------------------------	---

g) Reproductive toxicant :

No data available.

h) Specific target organ systemic toxicity - single exposure :

BENZYL ALCOHOL (CAS: 100-51-6)

Oral route :	C = 400 mg/kg body weight Species : Rat
Inhalation route :	C = 1072 mg/l/4h Species : Rat

i) Specific target organ systemic toxicity - repeated exposure :

BENZYL ALCOHOL (CAS: 100-51-6)

Oral route :	C = 400 mg/kg body weight/day Species : Rat Duration of exposure : 90 days OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
--------------	--

j) Aspiration hazard :

No data available.

11.1.2. Mixture

11.1.2.1 Information on hazard classes

a) Acute toxicity :

No data available.

b) Skin corrosion/skin irritation :

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

c) Serious damage to eyes/eye irritation :

Splashes in the eyes may cause irritation and reversible damage

DIGRAIN ULTRA DAIRY FLY SPRAY

d) Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

e) Germ cell mutagenicity :

No data available.

f) Carcinogenicity :

No data available.

g) Reproductive toxicant :

No data available.

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

j) Aspiration hazard :

No data available.

11.1.2.2 Other information

Symptoms related to the physical, chemical and toxicological characteristics

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 102-71-6 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

SECTION 12 : ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

TETRAMETHRIN (ISO) (CAS: 7696-12-0)

Fish toxicity :

LC50 = 0.033 mg/l

M-Factor = 100

Species : Brachydanio rerio

Duration of exposure : 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

NOEC = 0.72 mg/l

M-Factor = 100

Species : Others

Crustacean toxicity :

EC50 = 0.47 mg/l

M-Factor = 100

Species : Daphnia magna

Duration of exposure : 48 h

OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Algae toxicity :

ECr50 = 1.36 mg/l

Species : Scenedesmus subspicatus

Duration of exposure : 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

NOEC = 0.72 mg/l

Species : Scenedesmus subspicatus

OECD Guideline 201 (Alga, Growth Inhibition Test)

BENZYL ALCOHOL (CAS: 100-51-6)

Fish toxicity :

LC50 = 460 mg/l

Species : Pimephales promelas

Duration of exposure : 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity :

EC50 = 230 mg/l

Species : Daphnia magna

Duration of exposure : 48 h

OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

NOEC = 51 mg/l

Species : Daphnia magna

Duration of exposure : 21 days

OECD Guideline 211 (Daphnia magna Reproduction Test)

DIGRAIN ULTRA DAIRY FLY SPRAY

Algae toxicity : ECr50 = 770 mg/l
Duration of exposure : 72 h
OECD Guideline 201 (Alga, Growth Inhibition Test)

NOEC = 310 mg/l
Species : Pseudokirchnerella subcapitata
Duration of exposure : 72 h
OECD Guideline 201 (Alga, Growth Inhibition Test)

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

CYPERMETHRIN (ISO) (CAS: 52315-07-8)
Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

TETRAMETHRIN (ISO) (CAS: 7696-12-0)
Biodegradability :

Non-rapidly degradable.

BENZYL ALCOHOL (CAS: 100-51-6)
Biodegradability :

Rapidly degradable.

12.3. Bioaccumulative potential

12.3.1. Substances

CYPERMETHRIN (ISO) (CAS: 52315-07-8)
Octanol/water partition coefficient :

Log Kow >= 5.55

TETRAMETHRIN (ISO) (CAS: 7696-12-0)
Octanol/water partition coefficient :

Log Kow > 4.09

BENZYL ALCOHOL (CAS: 100-51-6)
Octanol/water partition coefficient :

Log Kow = 1.10

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2025 - IMDG 2024 [42-24] - ICAO/IATA 2026 [67]).

14.1. UN number or ID number

3082

14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(cypermethrin (iso), tetramethrin (iso))

14.3. Transport hazard class(es)

- Classification :



DIGRAIN ULTRA DAIRY FLY SPRAY

14.4. Packing group

III

14.5. Environmental hazards

- Environmentally hazardous material :



14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375 601 650	E1	3	-

Not subject to this regulation if Q <= 5 l / 5 kg (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage Handling	Segregation
	9	-	III	5 L	F-A. S-F	274 335 375 969	E1	Category A	-

Not subject to this regulation if Q <= 5 l / 5 kg (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	964	450 L	964	450 L	A97 A158 A197 A215	E1
	9	-	III	Y964	30 kg G	-	-	A97 A158 A197 A215	E1

Not subject to this regulation if Q <= 5 l / 5 kg (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(cypermethrin (iso))

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/1182. (ATP15)

Container information:

No data available.

Particular provisions :

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH):
<https://echa.europa.eu/substances-restricted-under-reach>.

Authorisations agreed under Title VII of Regulation (EC) No.1907/2006 (REACH):

The mixture does not contain any substance subject to authorisation according to Annex XIV of REACH Regulation (EC) No 1907/2006:
<https://echa.europa.eu/fr/authorisation-list>.

Ozone-depleting substances (Regulation (EC) No 2024/590).

The mixture does not contain any substance posing a risk to the ozone layer.

Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):

The mixture does not contain a persistent organic pollutant.

PIC Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (Rotterdam Convention):

The mixture is not subject to the Prior Informed Consent (PIC) procedure.

Explosives precursors :

The mixture does not contain any substance subject to the Poisons act 1972 and control of explosives precursors and poisons regulations Regulation of 2023 (UK).

Labelling for biocidal products (Regulation (UE) n° 528/2012) :

Name	CAS	%	Product-type
CYPERMETHRIN (ISO)	52315-07-8	1.02 g/kg	18
TETRAMETHRIN (ISO)	7696-12-0	2.09 g/kg	18

Product-type 18 : Insecticides, acaricides and products to control other arthropods.

DIGRAIN ULTRA DAIRY FLY SPRAY

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer .
H371	May cause damage to organs .
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.
LC50 : The concentration of a test substance resulting in 50% lethality in a given period.
EC50 : The effective concentration of substance that causes 50% of the maximum response.
ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.
LQ : Limited Quantity
EQ : Excepted Quantity
EmS : Emergency Schedule
E : Packing Instruction
NOEC : The concentration with no observed effect.
REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.
ATE : Acute Toxicity Estimate
BW : Body Weight
DNEL : Derived No-Effect Level
PNEC : Predicted No-Effect Concentration
CMR: Carcinogenic, mutagenic or reprotoxic.
UFI : Unique formulation identifier.
STEL : Short-term exposure limit
TWA : Time-Weighted Average
VLE : Threshold Limit Value (exposure)
VME : Average Exposure Value.
ADR : Agreement concerning the international carriage of dangerous goods by road.
GHS09 : Environment
IATA : International Air Transport Association.
IMDG : International Maritime Dangerous Goods.
ICAO : International Civil Aviation Organisation
PBT: Persistent, bioaccumulable and toxic.
PIC: Prior Informed Consent.
POP: Persistent Organic Pollutant.
RID : Regulations concerning the International carriage of Dangerous goods by rail.
SVHC : Substances of very high concern.
WGK : Water Hazard Class.

The information contained in this safety data sheet is based on our current knowledge at the time of publication and is provided in good faith. It does not constitute any guarantee of specific product properties nor establish any contractual relationship. The user remains solely responsible for safe and compliant use of the product in accordance with current regulations.
