

#### GEL BAIT INSECTICIDE AGAINST COCKROACHES

## For use by professionals only

Formulation: Ready-to-use Gel Active substance: Imidacloprid Chemical family: Nitroguanidines (Neonicotinoids) Concentration: 2.15% w/w Authorisation Number: UK-2016-1042



Warning

H410 Very toxic to aquatic life with long-lasting effects. EUH 208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an alleraic reaction.

P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/containers according to national legislation.

## Important:

Use insecticides with precaution. Read attached instructions before use.

Observe the instructions to avoid risks to man and the environment. Emergency phone: UK +44 (0) 1865 407333

Authorisation holder: Sharda Europe B.V.B.A. Jozef Mertensstraat 142, 1702 Dilbeek BEI GIUM

Distributed by: LODI UK Building 69, 3rd Avenue Pensnett trading estate Kingswinford DY6 7FD Tel: 01384 404242 www.lodi-uk.com sales@lodi-uk.com

For Batch No. and Manufacture Date see packaging Expiry date: 2 years from manufacturing date





# **IMIDASECT**



# GEL BAIT INSECTICIDE AGAINST COCKROACHES

For use by professionals only

Formulation: Ready-to-use Gel Active substance: Imidacloprid

Chemical family: Nitroguanidines (Neonicotinoids) Concentration: 2.15% w/w

Authorisation Number: UK-2016-1042

**Target insects:** 

German cockroach (*Blatella germanica*) and Oriental coackroach (*Blatta orientalis*)

The active ingredient imidacloprid, acts by binding to the insect's neurons. This binding causes a disturbance in the transmission of nerve impulses which is lethal to the target

Cockroaches are attracted by nutritional ingredients in the bait. They spread the gel by moving and contaminate their peers, causing poisoning by contact and ingestion.

Under normal conditions, gel drops remain active and palatable at least for 2 months.

Use instructions:

IMIDASECT is suitable for the pest control treatment in places like houses, apartments cellars, public buildings, community centers, cinemas, churches, commercial premises, hotels, restaurants, schools, kindergartens, hospitals, retirement homes, care facilities, public baths, means of transport (ships, trains, planes), storage areas, industrial warehouses...

Before treatment, remove as much as possible all natural source of food for cockroaches (waste, food scraps ...) from the infested area to encourage the ingestion of the gel.

Apply the gel to infested areas and insects' paths but also between food sources as well as warm (<50 °C) and humid sheltered areas (corners, cracks, crevices, air ducts, behind baseboards and appliances, along pipes, close to water points ...). During inspections, check the treated area and if necessary, replace the gel used as cockroaches leave secretions and

Dried out gel has to be replaced in order to maintain palatability of the product.

Inform the distributor if the treatment is ineffective.

Do not expose bait drops to sunlight or heat source (i.e radiator).

## Application dose:

Target species	Normal infestation level (when only a few or individual insects are detected)	High infestation level (when large number of insects is detected)
German cockroach. nymphs and adults	1 drop/ m <sup>2</sup>	2 drops/ m <sup>2</sup>
Oriental cockroach (nymphs, adults)	2 drop/ m <sup>2</sup>	3 drop/ m <sup>2</sup>

Note: 1 drop of gel with approx. 5 mm diameter is 0.1 g.

Applications can be repeated each 2 months or when the product is consumed (maximum 6 applications/year).

**Risk mitigation measures:** 

Avoid any unnecessary contact to the preparation. Misuse may cause health damage.

Do not contaminate food, feed, eating utensils or food contact surfaces.

Keep out of reach of children.

Baits must be securely deposited in a way so as to minimise the risk of consumption by other animals or children.

Storage: Keep away from food, drink and animal feeding

Keep out of reach of children. Shelf-life: 24 months

First aid:

IF ON SKIN: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Symptomatic treatment

Emergency phone: UK +44 (0) 1865 407333

Important:

Use insecticides with precaution. Before use, read the label.

Respect the uses, doses, conditions and precautions on the packaging which have been determined based on product characteristics and applications for which it is recommended. The treatment should be performed according to good practice taking into account under your responsibility all the specific factors that may be involved and are beyond our control (materials used, application conditions, product mix,

The manufacturer guarantees the quality of its products sold in their original packaging.

## Classification



Warning

H410 Very toxic to aquatic life with long-lasting effects. EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/containers according to national

### Observe the instructions to avoid risks to man and the environment.

Size: 35 g

For Batch No. and Manufacture Date see packaging Expiry date: 2 years from manufacturing date

Authorisation holder: Sharda Europe B.V.B.A Jozef Mertensstraat 142, 1702 Dilbeek **BELGIUM** 

**Distributed by:** LODI UK Building 69, 3rd Avenue Pensnett trading estate Kingswinford DY6 7FD Tel: 01384 404242 www.lodi-uk.com

sales@lodi-uk.com For Batch No. and Manufacture Date see packaging

Expiry date: 2 years from manufacturing date

