#### INSTRUCTIONS FOR USE

Insecto Pro Formula Insect Fogger+ is an automatic 'one shot' fogging aerosol. Firstly ensure that all people, animals, pets (including terrariums and aquariums) and foodstuffs are removed from the area to be treated. Firmly close all doors and windows of the area being treated. To activate simply press the nozzle down until it clicks into position and starts to dispense. Place the aerosol on a non-sensitive surface and immediately leave the premises. Once the fogger has been activated it will empty entirely. Coverage: 150ml = 187.5m3

#### WWW.LODI-UK.COM/GUIDES

HOW TO USE

THIS PRODUCT:

Place the aerosol on a non-sensitive surface in the middle of the area being treated. Press down nozzle until it locks - it will start to automatically dispense the contents. Leave the area immediately and don't re-enter for a minimum of 2 hours to allow the Insecto Pro Formula Insect Fogger+ to work effectively. Once you return to the area, open all doors and windows to ventilate thoroughly (airing between 1 hour to half a day depending on the area being vented)

### PRECAUTIONS

APPLICATION RATE

\*This material and its container must be disposed in a safe way\* \*DO NOT TOUCH TREATED SURFACES UNTIL DRY

\*WASH HANDS AND EXPOSED SKIN before meals and after use \*KEEP IN A SAFE PLACE

\*ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981, BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH. NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES

\*DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. \*COVER ALL WATER STORAGE TANKS before application. \*HAZARDOUS TO BEES.

\*EXCLUDE ANIMALS DURING APPLICATION.

#### STATUTORY CONDITIONS OF APPROVAL RELATING TO USE

Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval. The application rate of 400 ml is appropriate to treat 500 m3. 150ml = 187.5m<sup>3</sup>. FOR USE ONLY AS AN INSECTICIDE. READ ALL PRECAUTIONS BEFORE USE. HSE nº10729 Application Method: SPACE TREATMENT, ACTIVATE THE AEROSOL UNTIL THE MECHANISM JAMMED, IMMEDIATELY LEAVE THE PREMISES AND LET THE PRODUCT ACT FOR AT LEAST 2 HOURS, THOROUGHLY VENTILATE THE TREATED ROOM BEFORE ENTERING (AIRING

BETWEEN 1 HOUR AND HALF A DAY, DEPENDING ON THE POSSIBLE VENTILATION LEVEL). To avoid risks to man and the environment, comply with the instructions for use.



LIFI: XMKT-3N6Y-000G-CUR8

Marketed by LODI UK Ltd Building 69, Third Avenue, Pensnett Trading Estate, Kingswinford, West Midlands DY6 7FD Tel: 01384 404242 sales@lodi-uk.com www.lodi-uk.com

EU address: Lodi S.A.S.Parc d'Activités des, Les Quatre Routes, 35390 Tel: +33 2 99 08 48 59

## INSECTO



USED BY

PROFESSIONALS

Pro Formula

# FOGGER+

TOTAL ROOM, LOFT & EMPTY **GREENHOUSE, TREATMENT TO KILL** ALL FLYING & CRAWLING INSECTS

- **FAST-ACTION INSECT KILLER**
- KILLS OUT OF SIGHT BREEDING INSECTS
- LEAVES NO VISIBLE RESIDUE

**AUTO-RELEASE** 

Insecticide for amateur use against cockroaches, fleas, flies, bedbugs, moths, mosquitoes, gnats, spiders and other crawling and flying insects such as stored product pest including confused flour beetles and biscuit beetles. For use in enclosed indoor situations, domestic premises, empty greenhouses, food preparation premise building trades, kitchens, bakeries, refuse disposal and waste storage areas.

Pro Formula Insect Fogger+

DANGER H222 Extremely flammable aerosol.

H229 Pressurized container: may burst if heated. H410 Very toxic to aquatic life with long lasting effects. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure (if inhaled).

P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P273 Avoid release to the

environment. P391 Collect spillage P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/ container in accordance with applicable regulations. Not to be used for any purpose other than the one the product was designed for. CYPHENOTHRIN 0.330% w/w. IMIPROTHRIN 0.110% w/w

Chrysanthemum cinerariaefolium, extract from open and mature flowers of tanacetum cinerariifolium obtained with supercritical CO2

0.01% w/w EUH066 Repeated exposure may cause skin dryness or cracking.

A23204/1123. Batch number and expiry date: see packaging Distributed by LODI UK Ltd

Building 69. Third Avenue, Pensnett Trading Estate, Kingswinford, West Midlands DY6 7FD Tel: 01384 404242

