EFFECTIVE CONTROL OF FLY & MIDGE LARVAE, AND RAT-TAILED MAGGOTS





Insecticide bait for PROFESSIONAL USE AGAINST FLY & MIDGE LARVAE and RAT-TAILED MAGGOTS. For use in livestock and breeding premises.

INNOVATIVE MICRO-CAPSULATED and PROGRESSIVE-RELEASE FORMULA.

Active substance: S-methopren 0.4% w/w

STATUTORY CONDITIONS OF APPROVAL RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE FOR USE ONLY BY PROFESSIONAL OPERATORS

Application rate:

The product is for use in animal houses and breeding premises and outside.

The product can be applied outdoors to areas such as manure heaps and slurry pits, or indoors in a 50 cm strip along walls or partitions, under feeders and troughs or simply broadcast over the entire floor area.

Professional application via manual spreading of granules.

The product is scooped up in the cup direct from the container and scattered across the treatment area or placed in the affected area(s). The stated application rate is 30 g/m².

This product is approved under The Control of Pesticides Regulations 1986 (as amended) for use as directed.

Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended) including complying with all Conditions of Approval.

READ ALL PRECAUTIONS BEFORE USE. HSE No. 9980

Approval holder: LODI SA – P.A. des Quatre routes 35390 Grand-Fougeray (France) – Tel: +33(0)2 99 08 48 59

LARVENOL / S-methopren 0.4% (CAS 65733-16-6) H412 Harmful to aquatic life with long lasting effects.

Contents: Polyethyleneglycol-15-hydroxystearat: May produce an allergic reaction.

To avoid risks to man and the environment, comply with the instructions for use.

- * THE COSHH (CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH) REGULATIONS 2002 (AS AMENDED) APPLY TO THE USE OF THIS PRODUCT AT WORK.
- *AVOID EXCESSIVE CONTAMINATION OF COVERALLS.
- *DO NOT USE WHERE FOOD, FEED OR WATER COULD BECOME CONTAMINATED.
- *PREVENT ACCESS TO BAITS BY CHILDREN AND ANIMALS.
- *THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE WAY.
- *WASH HANDS AND EXPOSED SKIN BEFORE MEALS AND AFTER USE.
- *KEEP IN A SAFE PLACE.
- *COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.
- *DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.
- *EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.
- *COVER ALL WATER STORAGE TANKS BEFORE APPLICATION.
 *ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND
 COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND,
 SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE
 COUNCIL FOR WALES.
- *HAZARDOUS TO BEES.
- *DO NOT APPLY DIRECTLY TO ANIMALS.
- *EXCLUDE ANIMALS DURING APPLICATION.
- *PROTECT MILK MACHINERY AND MILK CONTAINERS FROM CONTAMINATION.
- *AVOID CONTAMINATION VIA DRAINS FROM FARMYARDS AND ANIMAL HOUSING/*BREEDING UNITS.
- *ALL MANURE/SLURRY FROM THE PREMISES SHOULD BE COLLECTED AND DISPOSED OF VIA LAND ACCORDING TO LOCAL LEGLISLATION.
- *DO NOT CONTAMINATE WATER WITH PRODUCT OR CONTAMINATED MANURE/SLURRY.



Your commercial CONTACT:

LODI UK - Building 69, Bay 3, Pensnett trading estate 3rd avenue, Kingswinford

DY6 – 7FD WEST MIDLANDS –Tel: 01384 40 42 42

Email: sales@lodi-uk.com

20 kg

Batch Number, Prod. and Expiry date: see packaging.