

**ORGAN-X PRO PYR 8 EW**



**SAFETY DATA SHEET**  
(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

**SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : ORGAN-X PRO PYR 8 EW

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended use(s): Insecticide - biocidal use  
Use(s) advised against: Do not use for purposes other than those stated in "Recommended use(s)"

**Use descriptor system (REACH) :**

Not available.

**1.3. Details of the supplier of the safety data sheet**

Registered company name : (GB) LODI UK .  
Address : Unit 104, Potter Space, 7 Kidderminster Road, Cutnall Green, Droitwich.WR9 0NS.Droitwich.UNITED KINGDOM.  
Telephone : 01 384 40 42 42. Fax : .  
fds@lodi.fr

**1.4. Emergency telephone number :**

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24- hour service)  
General public:  
England - Dial 111 to reach NHS 111 (24- hour service)  
Scotland - Dial 112 to reach NHS 24 (24- hour service)  
Wales - Dial 111 or 0845 4647 to reach NHS Direct (24- hour service).

**SECTION 2 : HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**In compliance with EC regulation No. 1272/2008 and its amendments.**

May produce an allergic reaction (EUH208).  
Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).  
Hazardous to the aquatic environment - Chronic hazard, Category 1 (Aquatic Chronic 1, H410).

**2.2. Label elements**

Biocidal mixture (see section 15).

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Hazard pictograms :



GHS09

Signal Word :

WARNING

Additional labeling :

EUH208 Contains CHRYSANTHEMUM CINERARIAEFOLIUM, EXTRACT FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CO2. May produce an allergic reaction.

EUH208 Contains BENZYL ALCOHOL. May produce an allergic reaction.

Hazard statements :

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements - General :

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary statements - Prevention :

P273 Avoid release to the environment.

Precautionary statements - Response :

P391 Collect spillage.

Precautionary statements - Disposal :

P501 Dispose of contents/container according to the regulation.

## ORGAN-X PRO PYR 8 EW

**2.3. Other hazards**

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European Chemicals Agency (ECHA) under article 59 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances  $\geq 0.1\%$  with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures****Composition :**

Identification	Classification (EC) 1272/2008	Note	%
INDEX: 89997637_CO2 CAS: 89997-63-7 EC: 289-699-3  CHRYSANTHEMUM CINERARIAEFOLIUM, EXTRACT FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CO2	GHS07, GHS09 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317 Acute Tox. 4, H332 Aquatic Acute 1, H400 M Acute = 100 Aquatic Chronic 1, H410 M Chronic = 100		0 $\leq$ x % < 2.5
INDEX: 101_51_6A CAS: 100-51-6 EC: 202-859-9  BENZYL ALCOHOL	GHS07 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317 Eye Irrit. 2, H319	[i]	0 $\leq$ x % < 2.5

**Specific concentration limits:**

Identification	Specific concentration limits	ATE
INDEX: 89997637_CO2 CAS: 89997-63-7 EC: 289-699-3  CHRYSANTHEMUM CINERARIAEFOLIUM, EXTRACT FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CO2		inhalation: ATE = 2.3 mg/l 4h (dust/mist) oral: ATE = 1030 mg/kg BW
INDEX: 101_51_6A CAS: 100-51-6 EC: 202-859-9  BENZYL ALCOHOL		dermal: ATE = 2000 mg/kg BW oral: ATE = 1200 mg/kg BW

**Information on ingredients :**

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

CAS: 7446-09-5 EC: 231-195-2	SULPHUR DIOXIDE
---------------------------------	-----------------

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. description of first aid measures****In the event of exposure by inhalation :**

Remove casualty to fresh air and keep warm and at rest. Seek medical attention if difficulties appear and persist.

**In the event of splashes or contact with eyes :**

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**In the event of splashes or contact with skin :**

In case of skin exposure, clean skin with water then with soap. Seek medical attention if irritation or discomfort develops

**In the event of swallowing :**

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**ORGAN-X PRO PYR 8 EW**

**4.3. Indication of any immediate medical attention and special treatment needed**

**Specific and immediate treatment :**

Treat symptomatically.

**Information for the doctor :**

Treat symptomatically.

**SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

**5.1. Extinguishing media**

**Suitable methods of extinction**

In the event of a fire, use :

- sprayed water or water mist

**Unsuitable methods of extinction**

In the event of a fire, do not use :

- water jet

**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

**5.3. Advice for firefighters**

No data available.

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.

**For first aid worker**

First aid workers will be equipped with suitable personal protective equipment (See section 8).

**6.2. Environmental precautions**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

**6.3. Methods and material for containment and cleaning up**

Clean preferably with a detergent, do not use solvents.

**6.4. Reference to other sections**

No data available.

**SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

**7.1. Precautions for safe handling**

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

**Fire prevention :**

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

**Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

**Prohibited equipment and procedures :**

No smoking, eating or drinking in areas where the mixture is used.

**7.2. Conditions for safe storage, including any incompatibilities**

No data available.

**ORGAN-X PRO PYR 8 EW**

**Storage**

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

**Packaging**

Always keep in packaging made of an identical material to the original.

Recommended types of packaging :

Original packaging.

Suitable packaging materials :

Original packaging.

Unsuitable packaging materials :

Different than the original packaging.

**7.3. Specific end use(s)**

No data available.

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

**Occupational exposure limits :**

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
7446-09-5		0.25 ppm		A4	

- European Union :

CAS	VME-mg/m3 :	VME-ppm :	VLE-mg/m3 :	VLE-ppm :	Notes :
7446-09-5	1.3	0.5	2.7	1	-

- France :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
7446-09-5	0.5	1.3	1	2.7	VLRI	

- Germany :

CAS	VME :	VLE :	Excess	Notes
7446-09-5		1 ppm 2.7 mg/m3		1(I)

- Switzerland :

CAS	VME	VLE	Valeur plafond	Notations
100-51-6 BENZYL ALCOHOL	5 ppm 22 mg/m3			

**Derived no effect level (DNEL) or derived minimum effect level (DMEL):**

BENZYL ALCOHOL (CAS: 100-51-6)

**Final use:**

Exposure method:  
 Potential health effects:  
 DNEL :

Exposure method:  
 Potential health effects:  
 DNEL :

Exposure method:  
 Potential health effects:  
 DNEL :

Exposure method:  
 Potential health effects:  
 DNEL :

**Final use:**

Exposure method:  
 Potential health effects:  
 DNEL :

Exposure method:  
 Potential health effects:

**Workers.**

Dermal contact.  
 Short term systemic effects.  
 40 mg/kg body weight/day

Dermal contact.  
 Long term systemic effects.  
 8 mg/kg body weight/day

Inhalation.  
 Short term systemic effects.  
 110 mg of substance/m3

Inhalation.  
 Long term systemic effects.  
 22 mg of substance/m3

**Consumers.**

Ingestion.  
 Long term systemic effects.  
 4 mg/kg body weight/day

Ingestion.  
 Short term systemic effects.

**ORGAN-X PRO PYR 8 EW**

DNEL :	20 mg/kg body weight/day
Exposure method:	Dermal contact.
Potential health effects:	Long term systemic effects.
DNEL :	4 mg/kg body weight/day
Exposure method:	Dermal contact.
Potential health effects:	Short term systemic effects.
DNEL :	20 mg/kg body weight/day
Exposure method:	Inhalation.
Potential health effects:	Long term systemic effects.
DNEL :	5.4 mg of substance/m3
Exposure method:	Inhalation.
Potential health effects:	Short term systemic effects.
DNEL :	27 mg of substance/m3

**Predicted no effect concentration (PNEC):**

BENZYL ALCOHOL (CAS: 100-51-6)

Environmental compartment:	Soil.
PNEC :	0.456 mg/kg
Environmental compartment:	Fresh water.
PNEC :	1 mg/l
Environmental compartment:	Sea water.
PNEC :	0.1 mg/l
Environmental compartment:	Intermittent waste water.
PNEC :	2.3 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	5.27 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	0.527 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	39 mg/l

**8.2. Exposure controls**

**Personal protection measures, such as personal protective equipment**

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

**- Eye / face protection**

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard ISO 16321.

**- Hand protection**

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- PVA (Polyvinyl alcohol)

**ORGAN-X PRO PYR 8 EW**

- Butyl Rubber (Isobutylene-isoprene copolymer)

**- Body protection**

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

**Physical state**

Physical state : Fluid liquid.

**Colour**

Colour: White.

**Odour**

Odour threshold : Not stated.

**Melting point**

Melting point/melting range : Not relevant.

**Freezing point**

Freezing point / Freezing range : Not stated.

**Boiling point or initial boiling point and boiling range**

Boiling point/boiling range : Not relevant.

**Flammability**

Flammability (solid, gas) : Not stated.

**Lower and upper explosion limit**

Explosive properties, lower explosivity limit (%) : Not stated.

Explosive properties, upper explosivity limit (%) : Not stated.

**Flash point**

Flash Point : 97.00 °C.

**Auto-ignition temperature**

Self-ignition temperature : Not relevant.

**Decomposition temperature**

Decomposition point/decomposition range : Not relevant.

**pH**

pH (aqueous solution) : Not stated.

pH : 3.09  
Slightly acidic.

**Kinematic viscosity**

Viscosity : Not stated.

**Solubility**

Water solubility : Dilutable.

Fat solubility : Not stated.

**Partition coefficient n-octanol/water (log value)**

Partition coefficient: n-octanol/water : Not stated.

**Vapour pressure**

Vapour pressure (50°C) : Not relevant.

**Density and/or relative density**

Density : 0.99

**Relative vapour density**

Vapour density : Not stated.

**9.2. Other information**

No data available.

**9.2.1. Information with regard to physical hazard classes**

No data available.

**9.2.2. Other safety characteristics**

No data available.

## SECTION 10 : STABILITY AND REACTIVITY

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

### 10.4. Conditions to avoid

Avoid :  
- frost

### 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)  
- carbon dioxide (CO<sub>2</sub>)

## SECTION 11 : TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Splashes in the eyes may cause irritation and reversible damage

#### 11.1.1. Substances

##### a) Acute toxicity :

BENZYL ALCOHOL (CAS: 100-51-6)

Oral route :

LD50 = 1200 mg/kg body weight  
Species : Rat

Dermal route :

LD50 = 2000 mg/kg body weight  
Species : Rat

CHRYSANTHEMUM CINERARIAEFOLIUM, EXTRACT FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CO<sub>2</sub> (CAS: 89997-63-7)

Oral route :

LD50 = 1030 mg/kg body weight  
Species : Rat

Dermal route :

LD50 > 2000 mg/kg body weight  
Species : Rabbit

Inhalation route (Dusts/mist) :

LC50 = 2.3 mg/l  
Species : Rat  
Duration of exposure : 4 h

##### b) Skin corrosion/skin irritation :

No data available.

##### c) Serious damage to eyes/eye irritation :

No data available.

##### d) Respiratory or skin sensitisation :

No data available.

##### e) Germ cell mutagenicity :

No data available.

##### f) Carcinogenicity :

No data available.

##### g) Reproductive toxicant :

No data available.

##### h) Specific target organ systemic toxicity - single exposure :

No data available.

##### i) Specific target organ systemic toxicity - repeated exposure :

No data available.

**ORGAN-X PRO PYR 8 EW**

**j) Aspiration hazard :**

No data available.

**11.1.2. Mixture**

**a) Acute toxicity :**

No data available.

**b) Skin corrosion/skin irritation :**

No data available.

**c) Serious damage to eyes/eye irritation :**

No data available.

**d) Respiratory or skin sensitisation :**

Contains at least one sensitising substance. May cause an allergic reaction.

**e) Germ cell mutagenicity :**

No data available.

**f) Carcinogenicity :**

No data available.

**g) Reproductive toxicant :**

No data available.

**h) Specific target organ systemic toxicity - single exposure :**

No data available.

**i) Specific target organ systemic toxicity - repeated exposure :**

No data available.

**j) Aspiration hazard :**

No data available.

**11.1.2.2 Other information**

**11.2. Information on other hazards**

**Endocrine disrupting properties**

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

**Monograph(s) from the IARC (International Agency for Research on Cancer) :**

CAS 7446-09-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 128-37-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

**SECTION 12 : ECOLOGICAL INFORMATION**

Very toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

**12.1. Toxicity**

**12.1.1. Substances**

BENZYL ALCOHOL (CAS: 100-51-6)

Fish toxicity :

LC50 = 460 mg/l

Species : Pimephales promelas

Duration of exposure : 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity :

EC50 = 230 mg/l

Species : Daphnia magna

Duration of exposure : 48 h

OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

NOEC = 51 mg/l

Species : Daphnia magna

Duration of exposure : 21 days

Algae toxicity :

ECr50 = 770 mg/l

Duration of exposure : 72 h

NOEC = 310 mg/l

Species : Pseudokirchnerella subcapitata

Duration of exposure : 72 h

CHRYSANTHEMUM CINERARIAEFOLIUM, EXTRACT FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CO<sub>2</sub> (CAS: 89997-63-7)

**ORGAN-X PRO PYR 8 EW**

Fish toxicity :	LC50 = 0.0052 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h
Crustacean toxicity :	EC50 = 0.012 mg/l Species : Daphnia magna Duration of exposure : 48 h
Aquatic plant toxicity :	ECr50 = 0.0014 mg/l Duration of exposure : 96 h

**12.1.2. Mixtures**

No aquatic toxicity data available for the mixture.

**12.2. Persistence and degradability**

**12.2.1. Substances**

BENZYL ALCOHOL (CAS: 100-51-6)  
Biodegradability : Rapidly degradable.

CHRYSANTHEMUM CINERARIAEFOLIUM, EXTRACT FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM  
OBTAINED WITH SUPERCRITICAL CO2 (CAS: 89997-63-7)  
Biodegradability : Non-rapidly degradable.

**12.3. Bioaccumulative potential**

**12.3.1. Substances**

BENZYL ALCOHOL (CAS: 100-51-6)  
Octanol/water partition coefficient : Log Kow = 1.10

CHRYSANTHEMUM CINERARIAEFOLIUM, EXTRACT FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM  
OBTAINED WITH SUPERCRITICAL CO2 (CAS: 89997-63-7)  
Octanol/water partition coefficient : Log Kow > 4

Bioaccumulation : FBC = 471

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

No data available.

**12.6. Other adverse effects**

No data available.

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

**13.1. Waste treatment methods**

Do not pour into drains or waterways.

**Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

**SECTION 14 : TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2024 [65]).

**14.1. UN number or ID number**

3082


**ORGAN-X PRO PYR 8 EW****14.2. UN proper shipping name**

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(chrysanthemum cinerariaefolium, extract from open and mature flowers of tanacetum cinerariifolium obtained with supercritical co2)

**14.3. Transport hazard class(es)**

- Classification :



9

**14.4. Packing group**

III

**14.5. Environmental hazards**

- Environmentally hazardous material :

**14.6. Special precautions for user**

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375 601	E1	3	-

Not subject to this regulation if Q &lt;= 5 l / 5 kg (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage Handling	Segregation
	9	-	III	5 L	F-A. S-F	274 335 969	E1	Category A	-

Not subject to this regulation if Q &lt;= 5 l / 5 kg (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	964	450 L	964	450 L	A97 A158 A197 A215	E1
	9	-	III	Y964	30 kg G	-	-	A97 A158 A197 A215	E1

Not subject to this regulation if Q &lt;= 5 l / 5 kg (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(chrysanthemum cinerariaefolium, extract from open and mature flowers of tanacetum cinerariifolium obtained with supercritical co2)

**14.7. Maritime transport in bulk according to IMO instruments**

No data available.

**SECTION 15 : REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/1182. (ATP15).

**Container information:**

No data available.

**Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):**

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH):

<https://echa.europa.eu/substances-restricted-under-reach>.**Explosives precursors :**

The mixture does not contain any substance subject to the Poisons act 1972 and control of explosives precursors and poisons regulations Regulation of 2023 (UK).

**Particular provisions :**

No data available.

**ORGAN-X PRO PYR 8 EW**

**Labelling for biocidal products (Regulation (UE) n° 528/2012) :**

Name	CAS	%	Product-type
CHRYSANTHEMUM CINERARIAEFOLIUM, EXTRACT FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CO2	89997-63-7	8.45 g/kg	18

Product-type 18 : Insecticides, acaricides and products to control other arthropods.

**Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):**

The mixture does not contain a persistent organic pollutant.

**15.2. Chemical safety assessment**

No data available.

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

**Abbreviations and acronyms :**

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

LQ : Limited Quantity

EQ : Excepted Quantity

EmS : Emergency Schedule

E : Packing Instruction

NOEC : The concentration with no observed effect.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

UFI : Unique formulation identifier.

STEL : Short-term exposure limit

TWA : Time-Weighted Average

TMP : French Occupational Illness table

VLE : Threshold Limit Value (exposure)

VME : Average Exposure Value.

VLRC : Indicative constraint value

ADR : Agreement concerning the international carriage of dangerous goods by road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Water Hazard Class.

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.