

INDICAPS

MICRO ENCAPSULATED
LIQUID CONCENTRATE



LODI UK

Building 69, Third Avenue, Pensnett Trading Estate, Kingswinford, West Midlands DY6 7FD Tel: 01384 404 242

USE ONLY AS DESCRIBED ON LABEL

'E4257'b

INSECTICIDE FOR PROFESSIONAL USE AGAINST FLYING AND CRAWLING INSECTS INCLUDING SPIDERS, ANTS, COCKROACHES, FLIES, STABLE FLIES, HOUSE FLIES, LESSER HOUSEFLIES, MOSQUITOES, BEDBUGS, STORED PRODUCT MOTHS, FRUIT FLIES, MITES AND RED MITES FOR USE IN ENCLOSED INDOOR SITUATIONS, REFUSE DISPOSAL AND WASTE STORAGE AREAS, DOMESTIC PREMISES, FOOD PREPARATION PREMISES, KITCHENS, BAKERIES AND LIVESTOCK HOUSING. WHEN TREATING ANIMAL HOUSING THE APPLICATION MUST BE DONE IN EMPTY PREMISES ONTO SURFACES WHICH ARE OUT OF REACH OF ANIMALS, ITO AVOID LICKING OR RUBBING AGAINST TREATED SURFACES.

INSTRUCTIONS FOR USE

Shake the bottle before use. Dilute 50ml of product in 5L of water per 100m².

SURFACE TREATMENT

We recommend regular maintenance and cleaning of your sprayers and filters, and to use a sprayer with a maximum pressure of 3 bar. Spray 1.t of diluted solution over 20m². After treatment, the water evaporates leaving the microcapsules on the surface. Indoors, ventilate throughout the treatment and ventilate before re-occupying the premises (on average 30 minutes to 2 hours depending on the level of ventilation). Clean equipment after use. We recommended wearing gloves when handling the product and to wash hands thoroughly after each use.

ACTION

Fast knockdown and long-lasting residual. After treatment, the treated surface is covered with thousands of microsapules. PHD8 (LPS works in less than 15 minutes and protects treated surfaces up to 12 weeks. Only treat again if a new infestation occurs.

USE PRECAUTIONS

The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work. Avoid excessive contamination of coveralls. Do not contaminate to the todostuffs, eating utensits or food contact surfaces. This material and its container must be disposed of in a safe way. Do not apply directly to livestock and outly. Exclude all persons and animals during treatment. Cover all water storage tanks before application. All bats are protected under the wildlife and countryside act 1961. Before treating any structure used by bats, consult natural England, Scottish natural Inerlage or the countryside council for Wales. Hazardous to bees. Protect nilk machinery an nilk containers from contamination. Treatment can be applied to walls inaccessible to the animals and onto cracks and crevices after animals have been removed. Remove all fleed and drinking water prior to treatment cover all feeders, waterers prior to treatment. Do not spray on surfaces and facilities likely to be in contact with livestock, lead or drinking water. To avoid indirect contamination during nearly application, cover all surfaces and facilities likely to be in contact with feed, drinking water and livestock. Wash hands and exposed skin before application. Remove all dead flies/filter beetles prior to re-entry of the poutry. Do not apply to clinking and bedding. For indoor use only.

PHOBI CAPS

CYPERMETHRIN 9.2% w/w PRALLETHRIN 0.46%

Marine

H410 Very toxic to aquatic life with long lasting effects. P273: Avoid release to the environment. P391: Collect spillage P501: Dispose of contents/container in accordance with applicable regulations.



STATUTORY CONDITIONS OF APPROVAL RELATING TO USE. FOR USE ONLY AS AN INSECTICIDE. FOR USE ONLY BY PROFESSIONAL OPERATORS. SURFACE SPRAY DILLITE 50 MLS OF PRODUCT WITH 5 L. OF WATER PER 100 SOUARE METRES OF SURFACE (1L. DILLITE SPRAY PER 20 SOUARE METRES). Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval. This product is approved under The Control of Pesticides Regulations 1986 (as amended) for use as directed. Read all precautions before use. HSE No. 10958 PCS No.100101