

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
 Product name : SAPPHIRE FORCE 25  
 UFI : 7NT2-0072-900J-JA5W  
 Type of product : Biocidal products (e.g. Disinfectants, pest control)  
 Product group : End product  
 Other means of identification : Reduced Nuosept

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public  
 Main use category : Professional use, Consumer use  
 Use of the substance/mixture : Rodenticides  
 Function or use category : Ready to use Rodenticide containing 25ppm Brodifacoum.

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Lodi UK Limited  
 Building 69 Third Avenue  
 Pensnett Trading Estate  
 DY6 7FD Kingswinford  
 United Kingdom  
 T +44 (0)1384 404 242

### 1.4. Emergency telephone number

Emergency number : +44 (0)1384 404 242

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Specific target organ toxicity – Repeated exposure, Category 2 H373

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS08

Signal word (CLP)

: Warning

Contains

: brodifacoum (ISO); 4-hydroxy-3-(3-(4'-bromo-4-biphenyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin

Hazard statements (CLP)

: H373 - May cause damage to organs (blood) through prolonged or repeated exposure.

Precautionary statements (CLP)

: P102 - Keep out of reach of children.

P103 - Read label before use.

P262 - Do not get in eyes, on skin, or on clothing.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P314 - Get medical advice/attention if you feel unwell.

P404 - Store in a closed container.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with national regulations.

EUH-statements

: EUH208 - Contains 1,2-benzisothiazol-3(2H)-one (2634-33-5), 2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1). May produce an allergic reaction.

Extra phrases

: Use of protective gloves is required for Professional users only.

Keep away from food, drink and animal feeding stuffs.

The most relevant P Phrase statements based on Pack Size and End User are on product labels. Additional P Phrase statements are included on the SDS for information only.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
SUCROSE substance with national workplace exposure limit(s) (GB)	CAS-No.: 57-50-1 EC-No.: 200-334-9	$\geq 5 - < 10$	Not classified
PROPYLENE GLYCOL substance with national workplace exposure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809-23	$\geq 1$	Not classified
2,2',2''-NITRILOTRIETHANOL substance with national workplace exposure limit(s) (CZ)	CAS-No.: 102-71-6 EC-No.: 203-049-8 REACH-no: 01-2119486482-31	$< 1$	Not classified

# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	< 1	Acute Tox. 4 (Oral), H302 (ATE=597 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (Active substance (Biocide))	CAS-No.: 56073-10-0 EC-No.: 259-980-5 EC Index-No.: 607-172-00-1	< 1	Acute Tox. 1 (Oral), H300 (ATE=0.5 mg/kg) Acute Tox. 1 (Dermal), H310 (ATE=5 mg/kg) Acute Tox. 1 (Inhalation), H330 (ATE=0.005 mg/l) Acute Tox. 1 (Inhalation:dust,mist), H330 (ATE=0.005 mg/l) Repr. 1A, H360D STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
2-OCTYL-2H-ISOTHIAZOL-3-ONE substance with national workplace exposure limit(s) (AT, DE, SI, MK, CH)	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	< 1	Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=0.76 mg/l/4h) Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) EUH071
DIETHANOLAMINE substance with national workplace exposure limit(s) (CZ)	CAS-No.: 111-42-2 EC-No.: 203-868-0 EC Index-No.: 603-071-00-1 REACH-no: 01-2119488930-28	< 1	Acute Tox. 4 (Oral), H302 (ATE=1600 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Repr. 2, H361fd STOT RE 2, H373

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (Conc.)
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	(0.05 ≤ C ≤ 100) Skin Sens. 1; H317
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (Active substance (Biocide))	CAS-No.: 56073-10-0 EC-No.: 259-980-5 EC Index-No.: 607-172-00-1	(0.002 ≤ C < 0.02) STOT RE 2; H373 (0.003 ≤ C ≤ 100) Repr. 1A; H360D (0.02 ≤ C ≤ 100) STOT RE 1; H372
2-OCTYL-2H-ISOTHIAZOL-3-ONE	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	(0.0015 ≤ C ≤ 100) Skin Sens. 1A; H317

Full text of H- and EUH-statements: see section 16

# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces or urine. Antidote: Vitamin K1 administered by medical/veterinary personnel only. . Seek medical attention immediately.
First-aid measures after inhalation	: Inhalation unlikely. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. and then. Wash skin with soap and water.
First-aid measures after eye contact	: Rinse eyes with eye-rinse liquid or water, keep eyes lids open at least 10 minutes.
First-aid measures after ingestion	: Rinse mouth out with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Place under medical observation.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Dry chemical powder, Alcohol-resistant foam, Carbon dioxide (CO2). Water fog.
Unsuitable extinguishing media	: Do not use water jet.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Precautionary measures fire	: Control run-off water by containing and keeping it out of sewers and watercourses.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

#### 6.2. Environmental precautions

Avoid release to the environment. Harmful to wildlife. Wild mammals and birds may be at greater risk if the product is not used in accordance to its label.

#### 6.3. Methods and material for containment and cleaning up

For containment	: Using a clean shovel, put the material in a dry container and cover without compressing it.
-----------------	---

# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Methods for cleaning up : Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Wax may soften in excessive temperatures. It will not melt fully and will remain contained in bait station. Comply with the safety instructions.  
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Keep away from food, drink and animal feedingstuffs.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep away from food and drink. Keep container tightly closed. Keep only in original container. Store locked up.  
Storage area : Store away from heat. Store in a well-ventilated place.

### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

PROPYLENE GLYCOL (57-55-6)	
United Kingdom - Occupational Exposure Limits	
Local name	Propane-1,2-diol
WEL TWA (OEL TWA)	10 mg/m <sup>3</sup> particulates
	474 mg/m <sup>3</sup> total vapour and particulates
	150 ppm total vapour and particulates
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
SUCROSE (57-50-1)	
United Kingdom - Occupational Exposure Limits	
Local name	Sucrose
WEL TWA (OEL TWA)	10 mg/m <sup>3</sup>
WEL STEL (OEL STEL)	20 mg/m <sup>3</sup>

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment. Do not exceed the occupational exposure limits (OEL).

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Blue. Red.
Odour	: Slight.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available

# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

### 9.2. Other information

Softening point : > 50 °C Wax becomes malleable @ 50°C and start to fuse together @ 70°C

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

#### brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)

LD50 oral rat	< 5 mg/kg
LD50 dermal rat	7.48 mg/kg
LC50 Inhalation - Rat	3.05 µg/l

#### DIETHANOLAMINE (111-42-2)

LD50 oral rat	1600 mg/kg
---------------	------------

#### 2,2',2''-NITRILOTRIETHANOL (102-71-6)

LD50 oral rat	6400 mg/kg
LD50 dermal rabbit	> 2000 mg/kg No deaths occurred at this concentration

#### PROPYLENE GLYCOL (57-55-6)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	634 mg/l/4h

# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

<b>1,2-benzisothiazol-3(2H)-one (2634-33-5)</b>	
LD50 oral rat	597 mg/kg
LD50 dermal rat	> 2000 mg/kg
<b>2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1)</b>	
LD50 oral rat	550 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	0.76 mg/l/4h
<b>SUCROSE (57-50-1)</b>	
LD50 oral rat	29700 mg/kg
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
<b>DIETHANOLAMINE (111-42-2)</b>	
pH	11 – 12 105g/l at 25C
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
<b>DIETHANOLAMINE (111-42-2)</b>	
pH	11 – 12 105g/l at 25C
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
<b>DIETHANOLAMINE (111-42-2)</b>	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
<b>1,2-benzisothiazol-3(2H)-one (2634-33-5)</b>	
NOAEL (animal/female, F1)	56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: May cause damage to organs (blood) through prolonged or repeated exposure.
<b>brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)</b>	
STOT-repeated exposure	Causes damage to organs (blood) through prolonged or repeated exposure (if swallowed).
<b>DIETHANOLAMINE (111-42-2)</b>	
LOAEL (oral, rat, 90 days)	14 mg/kg bodyweight/day 91 days
LOAEL (dermal, rat/rabbit, 90 days)	32 mg/kg bodyweight/day 91 days - Rat
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
<b>SAPPHIRE FORCE 25</b>	
Viscosity, kinematic	Not applicable
<b>brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)</b>	
Viscosity, kinematic	Not applicable
<b>DIETHANOLAMINE (111-42-2)</b>	
Viscosity, kinematic	356.335 mm²/s



# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

#### brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)

LC50 - Fish [1]	0.042 mg/l
EC50 - Other aquatic organisms [1]	0.25 mg/l

#### DIETHANOLAMINE (111-42-2)

LC50 - Fish [1]	460 mg/l Oncorhynchus mykiss (rainbow trout)
EC50 - Crustacea [1]	30.1 mg/l Ceriodaphnia dubia (water flea)
ErC50 algae	9.5 mg/l Pseudokirchneriella subcapitata (green algae), 96 hours

#### 2,2',2"-NITRILOTRIETHANOL (102-71-6)

LC50 - Fish [1]	> 11800 mg/l Pimephales promelas (fathead minnow)
EC50 - Crustacea [1]	609.9 mg/l Ceriodaphnia dubia (water flea)
EC50 72h - Algae [1]	512 mg/l alga Scenedesmus sp
NOEC chronic crustacea	16 mg/l 21 days, Daphnia magna (Water flea)

#### PROPYLENE GLYCOL (57-55-6)

LC50 - Fish [1]	40613 mg/l
EC50 - Crustacea [1]	340 mg/l Daphnia magna
EC50 96h - Algae [1]	19000 mg/l

#### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

LC50 - Fish [1]	0.74 mg/l
EC50 - Crustacea [1]	2.44 mg/l

#### 2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1)

LC50 - Fish [1]	0.18 mg/l
LC50 - Fish [2]	0.047 mg/l
EC50 - Crustacea [1]	0.32 mg/l
EC50 - Crustacea [2]	0.107 ppm
ErC50 algae	0.084 mg/l
NOEC chronic fish	0.085 ppm
NOEC chronic crustacea	0.74 ppm

#### 12.2. Persistence and degradability

##### SAPPHIRE FORCE 25

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

#### brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

<b>DIETHANOLAMINE (111-42-2)</b>	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	885 mg/g
Chemical oxygen demand (COD)	1352 mg/g
Biodegradation	93 % 28 days
<b>2,2',2''-NITRILOTRIETHANOL (102-71-6)</b>	
Persistence and degradability	Readily biodegradable.
Biodegradation	97 % 28 days
<b>PROPYLENE GLYCOL (57-55-6)</b>	
Persistence and degradability	Readily biodegradable.
<b>1,2-benzisothiazol-3(2H)-one (2634-33-5)</b>	
Persistence and degradability	Not rapidly degradable
<b>2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1)</b>	
Persistence and degradability	Not rapidly degradable
<b>SUCROSE (57-50-1)</b>	
Persistence and degradability	Not rapidly degradable
<b>12.3. Bioaccumulative potential</b>	
<b>DIETHANOLAMINE (111-42-2)</b>	
Partition coefficient n-octanol/water (Log Pow)	-2.46 at 25C
Bioaccumulative potential	Low bioaccumulation potential.
<b>2,2',2''-NITRILOTRIETHANOL (102-71-6)</b>	
Bioconcentration factor (BCF REACH)	< 3.9 Cyprinus carpio (Carp), 42 days
Partition coefficient n-octanol/water (Log Pow)	-2.3 at 25C
Bioaccumulative potential	Low bioaccumulation potential.
<b>PROPYLENE GLYCOL (57-55-6)</b>	
Bioaccumulative potential	Low bioaccumulation potential.
<b>12.4. Mobility in soil</b>	
<b>DIETHANOLAMINE (111-42-2)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 Estimated
<b>2,2',2''-NITRILOTRIETHANOL (102-71-6)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	10 Estimated
<b>PROPYLENE GLYCOL (57-55-6)</b>	
Ecology - soil	Soluble in water.

# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

### 12.5. Results of PBT and vPvB assessment

#### Component

brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)	This substance meets the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
DIETHANOLAMINE (111-42-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2,2',2"-NITRILOTRIETHANOL (102-71-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### Denmark

Hazardous Waste Group : European waste catalogue (EWC) Waste code 20 01 19\*: pesticides

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

**Inland waterway transport**

Not applicable

**Rail transport**

Not applicable

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable

### SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1. EU-Regulations**

**REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

**REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

**REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

**PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

**POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

**Ozone Regulation (2024/590)**

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

**Council Regulation (EC) for the control of dual-use items**

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items: Triethanolamine (102-71-6).

**Biocide Regulation (528/2012)**

Contains substance(s) listed on the Biocidal Products list (Regulation EU 528/2012 concerning the making available on the market and use of biocidal products)

Type of product (Biocide)	: 14 - Rodenticides
Authorisation number	:
Contains	: brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1-naphthyl)coumarin (0.00 % (percentage))

**Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

**Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

**15.1.2. National regulations**

No additional information available

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out

### SECTION 16: Other information

**Abbreviations and acronyms:**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
-----	---

# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Abbreviations and acronyms:	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:	
Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1

# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Full text of H- and EUH-statements:	
Acute Tox. 1 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Repr. 1A	Reproductive toxicity, Category 1A
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H360D	May damage the unborn child.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs (blood) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one (2634-33-5), 2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1). May produce an allergic reaction.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
STOT RE 2	H373	Calculation method

# SAPPHIRE FORCE 25

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

---

Safety Data Sheet (SDS), EU

The information contained in this Safety Data Sheet is believed to be true and correct, as of the issue date. The accuracy and completeness of this information and any recommendations, or suggestions are made without warranty or guarantee. Since the conditions of use are beyond the control of our company, it is the responsibility of the user to determine the conditions of safe use for this product. The SDS is issued for the Great British market; please contact the Supplier for a new SDS if you are in Northern Ireland.